

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	219	hub and sensor and raceway and wheel and vehicle and rolling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:16
S2	194	hub and sensor and raceway and wheel and vehicle and rolling and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:49
S3	15	(hub and sensor and raceway and wheel and vehicle and rolling and flange).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:15
S4	1	S3 and (ground adj contact adj load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:18
S5	2	S2 and (ground adj contact adj load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:16
S6	2	S1 and (ground adj contact adj load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:16
S7	611	hub and sensor and (race inner outer raceway) and wheel and vehicle and rolling and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:18
S8	2	S7 and (ground adj contact adj load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:18

S9	1098	(hub bearing) and sensor and (race inner outer raceway) and wheel and vehicle and rolling and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:18
S10	2	S9 and (ground adj contact adj load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:28
S11	5	S9 and (contact adj load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:19
S12	123	(contact adj load) and wheel and vehicle and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:19
S13	1223	((73/11.07) or (73/862.631) or (73/862.044) or (73/862.541) or (384/448)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:20
S14	2	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:20
S15	1	S13 and displacement same sensor same flange same ((body outer) near3 (raceway race member structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:22
S16	4	S13 and displacement same sensor same flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:56

S17	1	S13 and (displacement adj sensor) same flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:57
S18	29	S13 and (displacement adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:57
S19	2	S13 and (ground adj contact adj load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:31
S20	110	(ground adj contact adj load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:31
S21	81	(ground adj contact adj load) and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:32
S22	27	(ground adj contact adj load) and (hub bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:49
S23	194	hub and sensor and raceway and wheel and vehicle and rolling and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:50
S24	11	S23 and (displacement near sensor) and (magnetic or induct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:53

S25	1	S23 and (displacement near sensor) and (induct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:53
S26	4	S23 and (magnetic near sensor) and (induct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:54
S27	1896	(displacement near sensor) and (induct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:55
S28	861	(displacement near sensor) same (induct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:56
S29	261	(displacement near sensor) same (induct\$5)same magnet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:19
S30	2	("6471407").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 11:29
S31	109	(displacement adj sensor) near5 inductance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:31
S32	7	(displacement adj sensor) near5 inductance same distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:31